EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S322	2	(burst$4) with (dummy) with (empty) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 23:06
S321	0	(burst$4) with (dummy) with (lack$4) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 23:06
S320	4	(burst$4) with (dummy) same (absence or silence) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 23:04
S319	3	(burst$4) with (dummy) with (absence or silence) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 23:04
S318	55	(burst$4) with (dummy) and (burst$4) with (interval or period or (predetermined or speci$6 or particular) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 22:55

S317	103	(burst$4) with (dummy or padd$5) and (burst$4) with (interval or period or (predetermined or speci$6 or particular) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 22:53
S316	0	(burst$4) with (filler$2) with (interval or period or (predetermined or speci$6 or particular) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 22:48
S315	105	(burst$4) with (dummy or pad $5) and (burst$4) with (interval or period or (predetermined or speci$6 or particular) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 22:48
S314	22	(burst$4) with (null) with (interval or period or (predetermined or speci$6 or particular) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 22:46
S313	27	(burst$4) with (comfort$4) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 17:42

S312	1	(burst$4) with (comfort$4) with (interval or period or (predetermined or speci$6 or particular) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 17:41
S311	23	(burst$4) with (dummy or pad$5) with (interval or period or (predetermined or speci$6 or particular) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 17:34
S310	49	(transmit$4 or send$5) near2 (burst$4) with (dummy or pad$5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 17:31
S309	321	(burst$4) with (dummy or pad$5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 17:31
S308	5	holdover with (burst$4) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 17:01

S307	1	must adj2 transmit$5 (pcr or peak cell rate$2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:57
S306	85	must adj2 transmit$5 near3 (burst$4) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:56
S305	151	must near2 transmit$5 near3 (burst$4) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:55
S304	0	must near2 transmit$5 near3 (burst$4 with (predetermined or specific) near2 (interval or period)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:55
S303	481	must near2 burst and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:55
S302	481	must$5 near2 burst and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:54

S301	21	transmit$5 near3 (burst$4 with (predetermined or specific) near2 (interval or period)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:45
S300	42	forc$4 near2 burst and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:37
S299	40	(pcr or peak cell rate) with (dummy or pad$5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 16:31
S298	8	(constant$4 or sustain$4 or maintain$5) near3 (bitrate$2 or rate) same (comfort$5 noise) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:59
S297	0	(sustained cell rate) same (noise) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:59

S296	0	(sustained cell rate) same (comfort$5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:59
S295	0	(sustained cell rate) same (pad $4 or dummy) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:48
S294	18	(scr) with (pad$4 or dummy) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:46
S293	58	(pcr or peak cell rate or scr) with (pad$4 or dummy) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:45
S292	370	(pcr or peak cell rate or burst $2 or scr) with (pad$4 or dummy) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:45

S291	8	(pcr or peak cell rate) with burst$2 and (burst$4 tolerance) and (scr) and (pad $4 or dummy) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:28
S290	11	(scr with padd$5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:24
S289	0	(pcr or peak cell rate) with burst$2 and (burst$4 tolerance) and (scr with padd $5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:23
S288	95	(pcr or peak cell rate) with burst$2 and (burst$4 tolerance) and (scr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:21
S287	10	(abr) with (burst$2) and (burst $4 tolerance) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:19

S286	96	(pcr or peak cell rate) with burst$2 and (burst$4 tolerance) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:15
S285	28	(pcr or peak cell rate) with burst$2 and (burst$4 near2 (interval or period)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:08
S284	77	(pcr or peak cell rate) with burst$2 and (burst$4 near2 (interval or period or time)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:05
S283	4	(abr) with burst$2 and (burst$4 near2 (interval or period or time)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 15:01
S282	98	(scr or cbr or sustained cell rate of constant bit rate) with burst$2 and (burst$4 near2 (interval or period or time)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 14:58

S281	16	(scr or cbr or sustained cell rate of constant bit rate) with burst$2 and (burst$4 with (predetermined or specific or particular) near2 (interval or period or time)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 14:58
S280	21	average rate$2 with burst$2 and (burst$4 with (predetermined or specific or particular) near2 (interval or period or time)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 14:43
S279	134	rate$2 with burst$2 and (burst$4 with (predetermined or specific) near2 (interval or period)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 14:40
S278	250	rate$2 with burst$2 and (burst$4 with (predetermined or specific) near2 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 14:38
S277	192	(average) near3 rate$2 with burst$2 and (burst$4 near5 time) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2012/01/24 14:37

| S276 | 551 | (average) near3 rate$2 with burst$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370" or "709" or "375").clas. | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2012/01/24 14:36 |

1/25/2012 11:49:55 AM
C:\Documents and Settings\kcehic\Desktop\apps\10676941\941.wsp